

**Electronic Filing System (EFS) Data
Electronic Patent Application Submission
USPTO Use Only**

EFS ID: 11857
Application ID: 09682030
Title of Invention: SYSTEMS AND METHODS FOR
MANAGING INSPECTIONS
First Named Inventor: Randal Stark
Domestic/Foreign Application: Domestic Application
Filing Date: null
Effective Receipt Date: 2001-07-11
Submission Type: Utility Patent Filing
Filing Type: new-utility
Confirmation Number: 0
Attorney Docket Number: 24-NS-6032
Digital Certificate Holder: cn=Joseph Anthony Lanahan, ou=Registered Attorneys, ou=Patent
and Trademark Office, ou=Department of Commerce, o=U.S.
Government, c=US
Certificate Message Digest: u5CuGhrnwLN7aZB9xlj1yQ==
Total Fees Authorized: \$908.0

Payment Category: DA - Deposit Account
Deposit Account Number: 12384
Deposit Account Name: Joseph A. Lanahan



TRANSMITTAL FORM



Electronic Version 1.0.2

Stylesheet Version: 1.0

Attorney Docket Number: 24-NS-6032

SYSTEMS AND METHODS FOR MANAGING INSPECTIONS

First Named Inventor: Randal Stark

SUBMITTED BY

Name: Joseph A. Lanahan
Registration Number: 47,732
Electronic Signature Mark: Joseph A. Lanahan
Date Signed: 20010711

I certify that the use of this system is for OFFICIAL correspondence between patent applicants or their representatives and the USPTO. Fraudulent or other use besides the filing of official correspondence by authorized parties is strictly prohibited, and subject to a fine and/or imprisonment under applicable law.

I, the undersigned, certify that I have viewed a display of document(s) being electronically submitted to the United States Patent and Trademark Office, using either the USPTO provided style sheet or software, and that this is the document(s) I intend for initiation or further prosecution of a patent application noted in the submission. This document(s) will become part of the official electronic record at the USPTO.

Attached Files:

bibd-transmittal	24-NS-6032apds.xml
specification	Specification2.xml
fee-transmittal	24-NS-6032fee.xml

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm
Column diameter	4.6	mm
Particle size	5	μm
Mobile phase	Water/Acetonitrile	
Mobile phase ratio	90/10	
Flow rate	1.0	mL/min
Detection method	UV-Vis	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	1.0	μL
Injection volume	1.0	μL
Column type	C18	
Column length	150	mm

FEE TRANSMITTAL

Electronic Version 1.0.4

Stylesheet Version: 1.0

Patent fees are subject to annual revisions on or about October 1st of each year.

Large Entity

TOTAL FEES AUTHORIZED: \$ 908

The commissioner is hereby authorized to charge indicated processing and/or publication fees and credit any overpayments to:

Deposit Account Number: 01-2384



Deposit Account Name: Armstrong Teasdale LLP

Charge Any Additional Fee Required Under 37 C.F.R. Sections 1.16 and 1.17.

SUBMITTED BY

Authorized Name: Joseph A. Lanahan

Electronic Signature Mark: Joseph A. Lanahan

Date Signed: 20010711

BASIC FILING FEE

Fee Description	Fee Code	Fee Paid
Utility Filing Fee	101	\$ 710

Subtotal For Basic Filing Fee: \$ 710

EXTRA CLAIM FEES

	Fee Code	Fee	Extra Claims	Fee Paid
Total Claims: 31	103	\$ 18	11	\$ 198
Independent Claims: 3	102	\$ 80	0	\$ 0

Subtotal For Extra Claims Fees: \$ 198